Table 16.35.130(b) Right-of-Way Classifications												
	Freeway (Eight Lanes)	Expressway (Six Lanes)	Highway (SR-73)	Parkway (four Lanes)	Major Arterial (Seven Lanes)	Major Arterial (Five Lanes)	Minor Arterial (Five Lanes)	Major Collector (Three Lanes)	Minor Collector (Two Lanes)	Local Street	Rural Streets	Alleys
Right-of-Way	300	174	162	206	176	152	122	94	77	53	50	20
Cross Slope	2%	2%	2%	2%	2%	2%	2%	2%	2%	3%	3%	3%
Minimum Street Grade	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	0.5%	1.0%	0.5%
Maximum Street Grade	8%	8%	8%	8%	8%	10%	10%	10%	10%	12%	12%	10%
Curb and Gutter Width (inches)	N/A	N/A	N/A	N/A	30	30	30	30	30	30	30 or swale	30
Swale Width (feet)	N/A	N/A	16	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7.5 or Curb	N/A
Turn Pocket Width	N/A	N/A	12	12	12	12	10	10	0	0	0	0
Acceleration/Deceleration Lane	12	12	12	12	12	12	12	0	0	0	0	0
Median Width	30	18	26	20	15	15	13	13	0	0	0	0
Planter Strip Width	60	30	12 (one side only)	45	30	30	20	18	8	5	5 (if no swale)	0
Curb	N/A	N/A	N/A	N/A	High back	High back	High back	High back	High back	High back	Mod curb	Mod Curb
Sidewalk Width/Multiuse Path	N/A	N/A	8 (in planter, one side only)	N/A	8 (included in planter)	8 (included in planter)	8 (included in planter)	8 (included in planter)	8	5	8 (one side only)	0
Minimum distance between intersections (feet)	1 Mile	1 Mile	1,000' (600' for right turn only)	1,500'	1320'	1,320'	300'	250'	200'	200'	125'	N/A
Minimum Horizontal Curve Centerline Radius				600	550	550	250-350	250-350	150	125	200	45 Inside
Number of Emergency Lanes	4	2	2	2	2	2	2	2	2	1	0	1
Emergency/Parking Lane Width	12	12	10	12	12	12	8	8	8	8	0	4
Number of Lanes	8	6	6	4	8	4	4	2	2	2	2	1
Lane Width	12	12	12	12	12	12	12	12	12	10	13.5	11
Signed Speed (MPH)	65-75	55-65	55	Up to 65	55	55	45	35	35	25	25	N/A
Parking	N/A	N/A	N/A	N/A	Not allowed	Not allowed	Allowed except within 20' of intersection	Allowed except within 20' of Intersection	Allowed	Allowed	Allowed	Allowed
Average Daily Traffic				N/A	N/A	N/A	8,000	4,000	Up to 3,000	N/A	N/A	N/A
Driveway Distance from Intersection (feet)	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	50	50	N/A
Width at intersection/Exit Ramps	500	300										
Distance of Increassed Width from Intersections	2,000	2,000										

















